

Prepared for:
EXTRACT LABS

1399 Horizon Ave
Lafayette, CO USA 80026

CBGa Isolate

Batch ID or Lot Number: TST491	Test: Potency	Reported: 14Nov2025	USDA License: N/A
Matrix: Concentrate	Test ID: T000315125	Started: 12Nov2025	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Nov2025	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.036	0.130	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.033	0.119	ND	ND	
Cannabidiol (CBD)	0.114	0.548	ND	ND	
Cannabidiolic Acid (CBDA)	0.117	0.562	ND	ND	
Cannabidivarin (CBDV)	0.027	0.130	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.049	0.234	ND	ND	
Cannabigerol (CBG)	0.020	0.074	1.820	18.20	
Cannabigerolic Acid (CBGA)	0.086	0.308	77.350	773.50	
Cannabinol (CBN)	0.027	0.096	ND	ND	
Cannabinolic Acid (CBNA)	0.058	0.210	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.102	0.367	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.093	0.333	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.082	0.295	ND	ND	
Tetrahydrocannabivarin (THCV)	0.019	0.067	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.072	0.260	ND	ND	
Total Cannabinoids			79.170	791.70	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Judith Marquez
14Nov2025
03:23:00 PM MST

PREPARED BY / DATE



Sam Smith
14Nov2025
03:27:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/88842079-58d1-4737-a032-8779dd4a8702>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

8884207958d14737a0328779dd4a8702.1