

SAMPLE DETAILS

SAMPLE NAME: Organic Cordyceps Gummies - Pink Lemonade - 100mg Beta-Glucans per 4g cube
Infused, Hemp

CLIENT

Business Name: EXTRACT LABS

License Number:

Address: 1399 Horizon Ave
Lafayette CO 80026

SAMPLE DETAIL

Batch Number: 26M2002105

Sample ID: 260605R012

Date Collected: 06/05/2026

Date Received: 06/05/2026

Batch Size:

Sample Size:

Unit Mass:

Serving Size:



Scan QR code to verify
authenticity of results.

SAFETY ANALYSIS - SUMMARY

Pesticides: ND

Mycotoxins:  **PASS**

Residual Solvents: DETECTED

Heavy Metals:  **PASS**


Microbiology (PCR): ND

Microbiology (Plating): ND

Water Activity: DETECTED

These results relate only to the sample included on this report.
This report shall not be reproduced, except in full, without written approval of the laboratory.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT),
µg/g = ppm, µg/kg = ppb, too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)


Approved by: Sam Schumann
Laboratory Director
Date: 06/11/2026



Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: (GLB-TM-17) Pesticide Analysis by LC-MS & GC-MS

PESTICIDE TEST RESULTS - 06/10/2026 ND

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Abamectin	0.224 / 0.746	N/A	ND
Acephate	0.005 / 0.016	N/A	ND
Acetamiprid	0.008 / 0.025	N/A	ND
Azoxystrobin	0.004 / 0.015	N/A	ND
Bifenazate	0.002 / 0.008	N/A	ND
Boscalid	0.015 / 0.050	N/A	ND
Carbaryl	0.022 / 0.074	N/A	ND
Carbofuran	0.002 / 0.007	N/A	ND
Chlorantraniliprole	0.017 / 0.057	N/A	ND
Chlorpyrifos	0.006 / 0.020	N/A	ND
Clofentezine	0.003 / 0.009	N/A	ND
Diazinon	0.003 / 0.01	N/A	ND
Dichlorvos (DDVP)	0.218 / 0.728	N/A	ND
Dimethoate	0.002 / 0.007	N/A	ND
Ethoprophos	0.014 / 0.047	N/A	ND
Etofenprox	0.007 / 0.024	N/A	ND
Etoxazole	0.009 / 0.030	N/A	ND
Fenoxycarb	0.005 / 0.018	N/A	ND
Fenpyroximate	0.007 / 0.022	N/A	ND
Fipronil	0.028 / 0.094	N/A	ND
Flonicamid	0.004 / 0.015	N/A	ND
Fludioxonil	0.006 / 0.021	N/A	ND
Hexythiazox	0.015 / 0.048	N/A	ND
Imazalil	0.010 / 0.034	N/A	ND
Imidacloprid	0.009 / 0.031	N/A	ND
Kresoxim-methyl	0.016 / 0.054	N/A	ND
Malathion	0.011 / 0.037	N/A	ND
Metalaxyl	0.003 / 0.009	N/A	ND
Methiocarb	0.006 / 0.019	N/A	ND
Methomyl	0.002 / 0.006	N/A	ND
MGK-264	0.017 / 0.055	N/A	ND
Myclobutanil	0.015 / 0.051	N/A	ND
Naled	0.008 / 0.027	N/A	ND
Oxamyl	0.002 / 0.008	N/A	ND
Paclobutrazol	0.004 / 0.012	N/A	ND
Permethrin	0.021 / 0.069	N/A	ND
Phosmet	0.005 / 0.018	N/A	ND
Propoxur	0.003 / 0.011	N/A	ND
Pyridaben	0.011 / 0.035	N/A	ND
Spinosad	0.013 / 0.043	N/A	ND
Spiromesifen	0.023 / 0.076	N/A	ND

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 06/10/2026 *continued ND*

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Spirotetramat	0.003 / 0.011	N/A	ND
Spiroxamine	0.014 / 0.046	N/A	ND
Tebuconazole	0.013 / 0.042	N/A	ND
Thiacloprid	0.004 / 0.012	N/A	ND
Thiamethoxam	0.004 / 0.012	N/A	ND
Trifloxystrobin	0.003 / 0.011	N/A	ND



Mycotoxin Analysis

MYCOTOXIN TEST RESULTS - 06/09/2026 ✔ PASS

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: (GLB-TM-18) Mycotoxins Contamination Determination in Concentrates

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (µg/kg)	MEASUREMENT UNCERTAINTY (µg/kg)	RESULT (µg/kg)	RESULT
Aflatoxin B1	0.805 / 2.684	5	N/A	ND	PASS
Aflatoxin B2	0.634 / 2.114		N/A	ND	
Aflatoxin G1	0.350 / 1.167		N/A	ND	
Aflatoxin G2	0.354 / 1.181		N/A	ND	
Ochratoxin A	0.724 / 2.412	5	N/A	ND	PASS
Total Aflatoxin		20		ND	PASS



Residual Solvents Analysis

RESIDUAL SOLVENTS TEST RESULTS - 06/09/2026 DETECTED

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: (GLB-TM-04) Residual Solvent Determination - Helium Carrier Gas

Total Butanes = n-Butane + 2-Methylpropane (Isobutane)
Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) + 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Propane	11.229 / 37.429	N/A	ND
2-Methylpropane (Isobutane)	11.966 / 39.887	N/A	ND
n-Butane	11.680 / 38.932	N/A	ND
Total Butanes			ND
n-Pentane	9.093 / 30.310	N/A	ND
n-Hexane	0.458 / 1.526	N/A	ND
n-Heptane	5.818 / 19.394	N/A	ND
Benzene	0.014 / 0.047	N/A	ND
Toluene	1.051 / 3.503	N/A	ND
1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)	3.191 / 10.637	N/A	ND
1,2-Dimethylbenzene (o-Xylene)	3.296 / 10.987	N/A	ND
Total Xylenes			ND
Methanol	11.936 / 39.787	N/A	ND
Ethanol	6.084 / 20.280	±16.6241	257.339
2-Propanol (Isopropyl Alcohol)	12.039 / 40.129	N/A	ND
Acetone	8.119 / 27.063	N/A	ND
Ethyl Acetate	7.018 / 23.394	N/A	ND



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: (GLB-TM-19) Metals Determination

HEAVY METALS TEST RESULTS - 06/10/2026 ✔ PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Arsenic	0.0089 / 0.0393	1.5	N/A	<LOQ	PASS
Cadmium	0.0131 / 0.0438	0.5	N/A	ND	PASS
Lead	0.0121 / 0.0404	0.5	N/A	ND	PASS
Mercury	0.0108 / 0.0393	1.5	N/A	ND	PASS

Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: (GLB-TM-25) Bioburden Testing for STEC & Salmonella or (GLB-TM-37) Microbiological Detection of Pathogenic Aspergillus

MICROBIOLOGY TEST RESULTS (PCR) - 06/11/2026 ND

COMPOUND	RESULT
<i>Salmonella</i> spp.	ND
Shiga toxin-producing <i>Escherichia coli</i>	ND

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: (GLB-TM-24) Bioburden Testing for Total Yeast and Mold

MICROBIOLOGY TEST RESULTS (PLATING) - 06/11/2026 ND

COMPOUND	RESULT (cfu/g)
Coliforms	ND
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND

Water Activity Analysis

Method: (GLB-TM-29) Water Activity

WATER ACTIVITY TEST RESULTS - 06/11/2026 DETECTED

COMPOUND	LOD/LOQ (Aw)	MEASUREMENT UNCERTAINTY (Aw)	RESULT (Aw)
Water Activity	0.250 / 0.250	±0.0100	0.693