

SAMPLE DETAILS

SAMPLE NAME: CBN Isolate

Concentrate, Hemp

CLIENT

Business Name: EXTRACT LABS

License Number:

Address: 1399 Horizon Ave
Lafayette CO 80026

SAMPLE DETAIL

Batch Number: TST1122

Sample ID: 260707J008

Date Collected: 07/07/2026

Date Received: 07/07/2026

Batch Size:

Sample Size:

Unit Mass:

Serving Size:

Scan QR code to verify
authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: **Not Detected**Total CBD: **Not Detected**

Sum of Cannabinoids: 90.4350%

Total Cannabinoids: 90.4350%

Total THC/CBD is calculated using the following formulas to take into
account the loss of a carboxyl group during the decarboxylation step:Total THC = Δ^9 -THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa +THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBN + CBNaTotal Cannabinoids = (Δ^9 -THC+0.877*THCa) + (CBD+0.877*CBDa) +

(CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) +

(CBDV+0.877*CBDVa) + Δ^8 -THC + (CBN+0.877*CBNa)These results relate only to the sample included on this report.
This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: Colorado Marijuana Rules 1 CCR 212-3

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT),
 $\mu\text{g/g}$ = ppm, $\mu\text{g/kg}$ = ppb
Approved by: Sam Schumann
Laboratory Director
Date: 07/09/2026

 **Cannabinoid Analysis**

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: (GLB-TM-14) Cannabinoid Potency Determination

TOTAL THC: Not Detected

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: Not Detected

Total CBD (CBD+0.877*CBDA)

TOTAL CANNABINOIDS: 90.4350%

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + (Total CBN)

TOTAL CBG: ND

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: ND

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: ND

Total CBDV (CBDV+0.877*CBDVa)

Exclusions¹ see Notes

CANNABINOID TEST RESULTS - 07/09/2026

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBN	0.319 / 5.549	±46.6645	904.350	90.4350
Δ^9 -THC	0.218 / 19.133	N/A	ND	ND
Δ^8 -THC	0.303 / 21.047	N/A	ND	ND
THCa	0.801 / 16.933	N/A	ND	ND
THCV	0.368 / 3.827	N/A	ND	ND
THCVa	0.277 / 14.924	N/A	ND	ND
CBD	0.915 / 19.133	N/A	ND	ND
CBDA	1.076 / 19.612	N/A	ND	ND
CBDV	0.690 / 4.496	N/A	ND	ND
CBDVa	0.306 / 8.227	N/A	ND	ND
CBG	0.517 / 4.209	N/A	ND	ND
CBGa	0.349 / 17.698	N/A	ND	ND
CBC	0.092 / 7.462	N/A	ND	ND
CBCa	0.342 / 6.792	N/A	ND	ND
CBNa	0.288 / 12.054	N/A	ND	ND
SUM OF CANNABINOIDS			904.350 mg/g	90.4350%

NOTES

1. Exclusions: Not accredited by the CDPHE and not for official purposes

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Lab ID: 2604236-04

Central Oregon Processing

METRC Batch ID:

Date Sampled: 04/21/26

Date Printed: 04/28/26

Report cannot be used for OLCC/OHA compliance.

Potency Analysis

 Analytical Method: De Backer, Journal of Chromatography b.2009. 11.004 -
 SOP 102 - Cannabinoids via High Performance Liquid Chromatography

Cannabinoids	%	LOQ	Notes
THCA	< LOQ	0.141	
delta 9-THC	< LOQ	0.141	
delta 8-THC	< LOQ	0.141	
CBDA	< LOQ	0.141	
CBD	< LOQ	0.141	
CBGA	0.197	0.141	
CBG	< LOQ	0.141	
CBN	99.7	0.141	
CBC	< LOQ	0.141	
CBDVA	< LOQ	0.141	
CBDV	< LOQ	0.141	
THCV	< LOQ	0.141	
THCVA	< LOQ	0.141	
Total CBG	0.173	0.123	
Total CBDV	< LOQ	0.123	
Total THCV	< LOQ	0.123	
Total Cannabinoids	99.8	0.123	

Total THC
< LOQ %

Total CBD
< LOQ %

Results that fail state testing requirements will be highlighted Red.

<LOQ - Results below the Limit of Quantitation

ORELAP accredited cannabinoid analytes include only CBDA, CBD, THCA, delta-9-THC, and delta-8-THC.

Acid form of THC/CBD are decarboxylated by heat, lose 12% of original mass as CO₂. Result - "bioactive"

"Total" Cannabinoid accounts for decarboxylation and moisture content. **Total THC = [(THCA×0.877) + Δ9THC] / (100%-MC)**

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Pesticide Analysis in PPM

Date/Time Extracted: 04/23/26 08:38

Date/Time Analyzed: 04/23/26 14:17

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26D216

Analyte	Result	Action Level	LOQ	Notes	Type
Abamectin	< LOQ	0.5	0.2500		Avermectin insecticide
Acephate	< LOQ	0.4	0.2000		Organophosphate Insecticide
Acequinocyl	< LOQ	2	1.000		Quinoline insecticide
Acetamiprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Aldicarb	< LOQ	0.4	0.2000		Carbamate insecticide
Azoxystrobin	< LOQ	0.2	0.1000		Strobin fungicide
Bifenazate	< LOQ	0.2	0.1000		Carbazate miticide
Bifenthrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Boscalid	< LOQ	0.4	0.2000		Carboxamide fungicide
Carbaryl	< LOQ	0.2	0.1000		Carbamate insecticide
Carbofuran	< LOQ	0.2	0.1000		Carbamate insecticide
Chlorantraniliprole	< LOQ	0.2	0.1000		Anthranilic diamide insecticide
Chlorfenapyr	< LOQ	1	0.5000		Pyrrole insecticide
Chlorpyrifos	< LOQ	0.2	0.1000		Organophosphate Insecticide
Clofentezine	< LOQ	0.2	0.1000		Tetrazine miticide
Cyfluthrin	< LOQ	1	0.5000		Pyrethroid insecticide
Cypermethrin	< LOQ	1	0.5000		Pyrethroid insecticide
Daminozide	< LOQ	1	0.5000		Plant growth regulator
DDVP (Dichlorvos)	< LOQ	1	0.5000		Organophosphate insecticide
Diazinon	< LOQ	0.2	0.1000		Organophosphate Insecticide
Dimethoate	< LOQ	0.2	0.1000		Organophosphate insecticide
Ethoprophos	< LOQ	0.2	0.1000		Organophosphate insecticide
Etofenprox	< LOQ	0.4	0.2000		Pyrethroid insecticide
Etoxazole	< LOQ	0.2	0.1000		Oxazoline insecticide
Fenoxycarb	< LOQ	0.2	0.1000		Carbamate insecticide
Fenpyroximate	< LOQ	0.4	0.2000		Pyrazolium miticide
Fipronil	< LOQ	0.4	0.2000		Pyrazole insecticide
Flonicamid	< LOQ	1	0.5000		Pyridinecarboxamide insecticide
Fludioxonil	< LOQ	0.4	0.2000		Benzodioxole fungicide
Hexythiazox	< LOQ	1	0.5000		Heterocyclic miticide
Imazalil	< LOQ	0.2	0.1000		Imidazole fungicide
Imidacloprid	< LOQ	0.4	0.2000		Neonicotinoid insecticide
Kresoxim-methyl	< LOQ	0.4	0.2000		Strobilurin fungicide
Malathion	< LOQ	0.2	0.1000		Organophosphate insecticide

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Pesticide Analysis in PPM

Date/Time Extracted: 04/23/26 08:38

Date/Time Analyzed: 04/23/26 14:17

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26D216

Analyte	Result	Action Level	LOQ	Notes	Type
Metalaxyl	< LOQ	0.2	0.1000		Benzenoid fungicide
Methiocarb	< LOQ	0.2	0.1000		Carbamate insecticide
Methomyl	< LOQ	0.4	0.2000		Carbamate insecticide
Methyl parathion	< LOQ	0.2	0.1000		Organophosphate insecticide
MGK-264	< LOQ	0.2	0.1000		Pesticide synergist
Myclobutanil	< LOQ	0.2	0.1000		Triazole fungicide
Naled	< LOQ	0.5	0.2500		Organophosphate insecticide
Oxamyl	< LOQ	1	0.5000		Carbamate insecticide
Paclobutrazol	< LOQ	0.4	0.2000		Triazole fungicide
Permethrins	< LOQ	0.2	0.1000		Pyrethroid insecticide
Phosmet	< LOQ	0.2	0.1000		Organophosphate insecticide
Piperonyl butoxide	< LOQ	2	1.000		Pesticide synergist
Prallethrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Propiconazole	< LOQ	0.4	0.2000		Triazole fungicide
Propoxur	< LOQ	0.2	0.1000		Carbamate insecticide
Pyrethrins	< LOQ	1	0.5000		Pyrethroid insecticide
Pyridaben	< LOQ	0.2	0.1000		Pyridazinone insecticide
Spinosad	< LOQ	0.2	0.1000		Spinosyn insecticide
Spiromesifen	< LOQ	0.2	0.1000		Keto-enol insecticide
Spirotetramat	< LOQ	0.2	0.1000		Keto-enol insecticide
Spiroxamine	< LOQ	0.4	0.2000		Spiroketalamine fungicide
Tebuconazole	< LOQ	0.4	0.2000		Triazole fungicide
Thiacloprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Thiamethoxam	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Trifloxystrobin	< LOQ	0.2	0.1000		Strobin fungicide

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Residual Solvents Analysis in PPM

Date/Time Extracted: 04/22/26 08:35

Date/Time Analyzed: 04/22/26 19:12

Analysis Method/SOP: RS

Instrument: Enrique

Batch Identification: B26D198

Solvent	Results in ppm	LOQ	Action Level	RPD (%)	Notes
Acetone	< LOQ	2500	5000		
Acetonitrile	< LOQ	205.0	400		
Benzene	< LOQ	1.000	2		
2-Butanol	< LOQ	2500	5000		
Cumene	< LOQ	35.00	70		
Cyclohexane	< LOQ	1940	3880		
Dichloromethane	< LOQ	300.0	600		
1,4-Dioxane	< LOQ	190.0	380		
2-Ethoxyethanol	< LOQ	80.00	160		
Ethyl acetate	< LOQ	2500	5000		
Ethylene glycol	< LOQ	310.0	620		
Ethylene oxide	< LOQ	25.00	50		
Ethyl ether	< LOQ	2500	5000		
Heptane	< LOQ	2500	5000		
Isopropyl acetate	< LOQ	2500	5000		
Methanol	< LOQ	1500	3000		
Propane	< LOQ	2500	5000		
2-Propanol (IPA)	< LOQ	2500	5000		
Tetrahydrofuran	< LOQ	360.0	720		
Toluene	< LOQ	445.0	890		
Butanes	< LOQ	2500	5000		
Hexanes	< LOQ	145.0	290		
Pentanes	< LOQ	2500	5000		
Xylenes	< LOQ	1085	2170		

Results above the Action Level, or otherwise fail state testing requirements will be highlighted Red.

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Heavy Metals Analysis in PPM

Date/Time Extracted: 04/22/26 10:48

Date/Time Analyzed: 04/23/26 16:10

Analysis Method/SOP: Microwave Digestion

Instrument: Lothar

Batch Identification: B26D200

Analyte	Result	Action Level	LOQ	Notes
Arsenic	< LOQ	0.2	0.100	
Cadmium	< LOQ	0.2	0.100	
Lead	< LOQ	0.5	0.250	
Mercury	< LOQ	0.1	0.0500	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

Chris Griffey
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control Potency

Batch: B26D195 - Potency

Blank(B26D195-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
delta 9-THC	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBGA	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBDA	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBD	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBN	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBG	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
delta 8-THC	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBC	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
THCV	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
THCVA	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBDVA	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	
CBDV	< LOQ	0.133	%		04/22/26 09:09	04/22/26 15:24	

LCS(B26D195-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	100	0.137	%	90-110	04/22/26 09:09	04/22/26 15:40	
delta 9-THC	100	0.137	%	90-110	04/22/26 09:09	04/22/26 15:40	
CBDA	100	0.137	%	90-110	04/22/26 09:09	04/22/26 15:40	
CBD	100	0.137	%	90-110	04/22/26 09:09	04/22/26 15:40	
delta 8-THC	100	0.137	%	90-110	04/22/26 09:09	04/22/26 15:40	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control Pesticide Analysis

Batch: B26D216 - Pest/Myco

Blank(B26D216-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.2500	ppm		04/23/26 08:38	04/23/26 12:42	
Acephate	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Acequinocyl	< LOQ	1.000	ppm		04/23/26 08:38	04/23/26 12:42	
Acetamiprid	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Aldicarb	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Azoxystrobin	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Bifenazate	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Bifenthrin	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Boscalid	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Carbaryl	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Carbofuran	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Chlorantraniliprole	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Chlorfenapyr	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Chlorpyrifos	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Clofentezine	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Cyfluthrin	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Cypermethrin	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Daminozide	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
DDVP (Dichlorvos)	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Diazinon	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Dimethoate	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Ethoprophos	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Etofenprox	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Etoxazole	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Fenoxycarb	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Fenpyroximate	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Fipronil	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Flonicamid	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Fludioxonil	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Hexythiazox	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Imazalil	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Imidacloprid	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Kresoxim-methyl	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Malathion	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control

Pesticide Analysis (Continued)

Batch: B26D216 - Pest/Myco (Continued)

Blank(B26D216-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Metalaxyl	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Methiocarb	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Methomyl	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Methyl parathion	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
MGK-264	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Myclobutanil	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Naled	< LOQ	0.2500	ppm		04/23/26 08:38	04/23/26 12:42	
Oxamyl	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Paclobutrazol	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Permethrins	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Phosmet	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Piperonyl butoxide	< LOQ	1.000	ppm		04/23/26 08:38	04/23/26 12:42	
Prallethrin	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Propiconazole	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Propoxur	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Pyrethrins	< LOQ	0.5000	ppm		04/23/26 08:38	04/23/26 12:42	
Pyridaben	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Spinosad	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Spiromesifen	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Spirotetramat	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Spiroxamine	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Tebuconazole	< LOQ	0.2000	ppm		04/23/26 08:38	04/23/26 12:42	
Thiacloprid	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Thiamethoxam	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	
Trifloxystrobin	< LOQ	0.1000	ppm		04/23/26 08:38	04/23/26 12:42	

LCS(B26D216-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	74.0	0.2500	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Acephate	94.4	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Acequinocyl	68.7	1.000	ppm	40-160	04/23/26 08:38	04/23/26 12:26	
Acetamiprid	101	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Aldicarb	99.2	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Azoxystrobin	97.1	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Bifenazate	105	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control

Pesticide Analysis (Continued)

Batch: B26D216 - Pest/Myco (Continued)

LCS(B26D216-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Bifenthrin	72.0	0.1000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Boscalid	98.1	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Carbaryl	90.5	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Carbofuran	90.5	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Chlorantraniliprole	95.2	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Chlorfenapyr	92.4	0.5000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Chlorpyrifos	93.2	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Clofentezine	87.5	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Cyfluthrin	104	0.5000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Cypermethrin	97.3	0.5000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Daminozide	83.2	0.5000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
DDVP (Dichlorvos)	112	0.5000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Diazinon	87.3	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Dimethoate	95.7	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Ethoprophos	85.1	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Etofenprox	60.5	0.2000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Etoxazole	86.7	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Fenoxycarb	89.4	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Fenpyroximate	88.1	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Fipronil	75.9	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Flonicamid	118	0.5000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Fludioxonil	91.6	0.2000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Hexythiazox	93.3	0.5000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Imazalil	98.9	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Imidacloprid	104	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Kresoxim-methyl	83.7	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Malathion	86.4	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Metalaxyl	90.8	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Methiocarb	88.8	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Methomyl	101	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Methyl parathion	116	0.1000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
MGK-264	89.1	0.1000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Myclobutanil	93.8	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Naled	67.6	0.2500	ppm	50-150	04/23/26 08:38	04/23/26 12:26	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control

Pesticide Analysis (Continued)

Batch: B26D216 - Pest/Myco (Continued)

LCS(B26D216-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Oxamyl	95.5	0.5000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Paclobutrazol	92.5	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Permethrins	63.9	0.1000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Phosmet	95.0	0.1000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Piperonyl butoxide	99.7	1.000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Prallethrin	86.6	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Propiconazole	89.3	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Propoxur	96.7	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Pyrethrins	83.4	0.5000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Pyridaben	85.8	0.1000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Spinosad	91.0	0.1000	ppm	50-150	04/23/26 08:38	04/23/26 12:26	
Spiromesifen	73.3	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Spirotetramat	101	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Spiroxamine	91.2	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Tebuconazole	87.0	0.2000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Thiacloprid	105	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Thiamethoxam	100	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	
Trifloxystrobin	88.6	0.1000	ppm	60-120	04/23/26 08:38	04/23/26 12:26	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
ORELAP ID: 4096
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control Heavy Metals

Batch: B26D200 - Microwave Digestion

Blank(B26D200-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	< LOQ	0.100	ppm		04/22/26 10:48	04/23/26 15:20	
Cadmium	< LOQ	0.100	ppm		04/22/26 10:48	04/23/26 15:20	
Lead	< LOQ	0.250	ppm		04/22/26 10:48	04/23/26 15:20	
Mercury	< LOQ	0.0500	ppm		04/22/26 10:48	04/23/26 15:20	

LCS(B26D200-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	132	0.100	ppm	80-115	04/22/26 10:48	04/23/26 15:27	Q3
Cadmium	98.1	0.100	ppm	80-115	04/22/26 10:48	04/23/26 15:27	
Lead	109	0.250	ppm	80-115	04/22/26 10:48	04/23/26 15:27	
Mercury	89.3	0.0500	ppm	80-115	04/22/26 10:48	04/23/26 15:27	

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control Solvent Analysis

Batch: B26D198 - ResSolv

Blank(B26D198-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Acetonitrile	< LOQ	205.0	ppm		04/22/26 08:35	04/22/26 10:45	
Benzene	< LOQ	1.000	ppm		04/22/26 08:35	04/22/26 10:45	
2-Butanol	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Cumene	< LOQ	35.00	ppm		04/22/26 08:35	04/22/26 10:45	
Cyclohexane	< LOQ	1940	ppm		04/22/26 08:35	04/22/26 10:45	
Dichloromethane	< LOQ	300.0	ppm		04/22/26 08:35	04/22/26 10:45	
1,4-Dioxane	< LOQ	190.0	ppm		04/22/26 08:35	04/22/26 10:45	
2-Ethoxyethanol	< LOQ	80.00	ppm		04/22/26 08:35	04/22/26 10:45	
Ethyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Ethylene glycol	< LOQ	310.0	ppm		04/22/26 08:35	04/22/26 10:45	
Ethylene oxide	< LOQ	25.00	ppm		04/22/26 08:35	04/22/26 10:45	
Ethyl ether	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Heptane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Isopropyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Methanol	< LOQ	1500	ppm		04/22/26 08:35	04/22/26 10:45	
Propane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
2-Propanol (IPA)	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Tetrahydrofuran	< LOQ	360.0	ppm		04/22/26 08:35	04/22/26 10:45	
Toluene	< LOQ	445.0	ppm		04/22/26 08:35	04/22/26 10:45	
Butanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Hexanes	< LOQ	145.0	ppm		04/22/26 08:35	04/22/26 10:45	
Pentanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 10:45	
Xylenes	< LOQ	1085	ppm		04/22/26 08:35	04/22/26 10:45	

Blank(B26D198-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Acetonitrile	< LOQ	205.0	ppm		04/22/26 08:35	04/22/26 11:14	
Benzene	< LOQ	1.000	ppm		04/22/26 08:35	04/22/26 11:14	
2-Butanol	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Cumene	< LOQ	35.00	ppm		04/22/26 08:35	04/22/26 11:14	
Cyclohexane	< LOQ	1940	ppm		04/22/26 08:35	04/22/26 11:14	
Dichloromethane	< LOQ	300.0	ppm		04/22/26 08:35	04/22/26 11:14	
1,4-Dioxane	< LOQ	190.0	ppm		04/22/26 08:35	04/22/26 11:14	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control

Solvent Analysis (Continued)

Batch: B26D198 - ResSolv (Continued)

Blank(B26D198-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
2-Ethoxyethanol	< LOQ	80.00	ppm		04/22/26 08:35	04/22/26 11:14	
Ethyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Ethylene glycol	< LOQ	310.0	ppm		04/22/26 08:35	04/22/26 11:14	
Ethylene oxide	< LOQ	25.00	ppm		04/22/26 08:35	04/22/26 11:14	
Ethyl ether	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Heptane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Isopropyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Methanol	< LOQ	1500	ppm		04/22/26 08:35	04/22/26 11:14	
Propane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
2-Propanol (IPA)	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Tetrahydrofuran	< LOQ	360.0	ppm		04/22/26 08:35	04/22/26 11:14	
Toluene	< LOQ	445.0	ppm		04/22/26 08:35	04/22/26 11:14	
Butanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Hexanes	< LOQ	145.0	ppm		04/22/26 08:35	04/22/26 11:14	
Pentanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 11:14	
Xylenes	< LOQ	1085	ppm		04/22/26 08:35	04/22/26 11:14	

Blank(B26D198-BLK3)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Acetonitrile	< LOQ	205.0	ppm		04/22/26 08:35	04/22/26 15:55	
Benzene	< LOQ	1.000	ppm		04/22/26 08:35	04/22/26 15:55	
2-Butanol	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Cumene	< LOQ	35.00	ppm		04/22/26 08:35	04/22/26 15:55	
Cyclohexane	< LOQ	1940	ppm		04/22/26 08:35	04/22/26 15:55	
Dichloromethane	< LOQ	300.0	ppm		04/22/26 08:35	04/22/26 15:55	
1,4-Dioxane	< LOQ	190.0	ppm		04/22/26 08:35	04/22/26 15:55	
2-Ethoxyethanol	< LOQ	80.00	ppm		04/22/26 08:35	04/22/26 15:55	
Ethyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Ethylene glycol	< LOQ	310.0	ppm		04/22/26 08:35	04/22/26 15:55	
Ethylene oxide	< LOQ	25.00	ppm		04/22/26 08:35	04/22/26 15:55	
Ethyl ether	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Heptane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Isopropyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Methanol	< LOQ	1500	ppm		04/22/26 08:35	04/22/26 15:55	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control

Solvent Analysis (Continued)

Batch: B26D198 - ResSolv (Continued)

Blank(B26D198-BLK3)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Propane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
2-Propanol (IPA)	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Tetrahydrofuran	< LOQ	360.0	ppm		04/22/26 08:35	04/22/26 15:55	
Toluene	< LOQ	445.0	ppm		04/22/26 08:35	04/22/26 15:55	
Butanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Hexanes	< LOQ	145.0	ppm		04/22/26 08:35	04/22/26 15:55	
Pentanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 15:55	
Xylenes	< LOQ	1085	ppm		04/22/26 08:35	04/22/26 15:55	

Blank(B26D198-BLK4)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Acetonitrile	< LOQ	205.0	ppm		04/22/26 08:35	04/22/26 16:23	
Benzene	< LOQ	1.000	ppm		04/22/26 08:35	04/22/26 16:23	
2-Butanol	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Cumene	< LOQ	35.00	ppm		04/22/26 08:35	04/22/26 16:23	
Cyclohexane	< LOQ	1940	ppm		04/22/26 08:35	04/22/26 16:23	
Dichloromethane	< LOQ	300.0	ppm		04/22/26 08:35	04/22/26 16:23	
1,4-Dioxane	< LOQ	190.0	ppm		04/22/26 08:35	04/22/26 16:23	
2-Ethoxyethanol	< LOQ	80.00	ppm		04/22/26 08:35	04/22/26 16:23	
Ethyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Ethylene glycol	< LOQ	310.0	ppm		04/22/26 08:35	04/22/26 16:23	
Ethylene oxide	< LOQ	25.00	ppm		04/22/26 08:35	04/22/26 16:23	
Ethyl ether	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Heptane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Isopropyl acetate	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Methanol	< LOQ	1500	ppm		04/22/26 08:35	04/22/26 16:23	
Propane	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
2-Propanol (IPA)	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Tetrahydrofuran	< LOQ	360.0	ppm		04/22/26 08:35	04/22/26 16:23	
Toluene	< LOQ	445.0	ppm		04/22/26 08:35	04/22/26 16:23	
Butanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Hexanes	< LOQ	145.0	ppm		04/22/26 08:35	04/22/26 16:23	
Pentanes	< LOQ	2500	ppm		04/22/26 08:35	04/22/26 16:23	
Xylenes	< LOQ	1085	ppm		04/22/26 08:35	04/22/26 16:23	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control

Solvent Analysis (Continued)

Batch: B26D198 - ResSolv (Continued)

LCS(B26D198-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	97.1	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Acetonitrile	86.5	205.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Benzene	112	1.000	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
n-Butane	80.6	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
2-Butanol	104	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Cumene	121	35.00	ppm	60-120	04/22/26 08:35	04/22/26 11:42	Q3
Cyclohexane	97.1	1940	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Dichloromethane	99.7	300.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
2,2-Dimethylbutane	98.5	145.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
2,3-Dimethylbutane 2-Methy	86.8	145.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
1,4-Dioxane	113	190.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
2-Ethoxyethanol	108	80.00	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Ethyl acetate	90.4	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Ethyl benzene	118	1085	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Ethylene glycol	110	310.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Ethylene oxide	95.4	25.00	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Ethyl ether	96.9	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Heptane	82.5	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
n-Hexane	92.3	145.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
iso-Butane	85.0	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Isopropyl acetate	104	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
iso-Pentane	86.5	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Methanol	106	1500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
3-Methylpentane	95.0	145.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
neo-Pentane	92.7	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
n-Pentane	83.8	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Propane	78.9	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
2-Propanol (IPA)	93.4	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Tetrahydrofuran	96.9	360.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Toluene	113	445.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
m,p Xylene	120	1085	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
o-Xylene	122	1085	ppm	60-120	04/22/26 08:35	04/22/26 11:42	Q3
Butanes	82.8	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Hexanes	91.9	145.0	ppm	60-120	04/22/26 08:35	04/22/26 11:42	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
ORELAP ID: 4096
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBN Iso GVL-TST1122

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2604236-04

Quality Control Solvent Analysis (Continued)

Batch: B26D198 - ResSolv (Continued)

LCS(B26D198-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Pentanes	87.6	2500	ppm	60-120	04/22/26 08:35	04/22/26 11:42	
Xylenes	120	1085	ppm	60-120	04/22/26 08:35	04/22/26 11:42	

Notes and Definitions

- B Analyte detected in method blank, but not associated samples.
- B2 Analyte detected in sample and associated method blank.
- C Interference due to co-elution.
- D Initial result exceeded calibration range, reported data are based on analysis of a dilution.
- H Non-homogenous sample matrix affecting RPD and/or QC.
- I Manual Integration was performed.
- L Duplicate sample relative percent difference (RPD) exceeds QC limits.
- LCS 3 marginal exceedances allowed for pesticide LCS (51-71 analytes) & 2 marginal exceedances allowed for solvents LCS (31-50 analytes)
- M Anomalous results due to matrix interference.
- Q1 QC out of limits but acceptable based on remaining QC.
- Q2 Quality Control outside QC limits. Data considered estimate.
- Q3 CCV/LCS was above the acceptance criteria. Non-detect samples are considered acceptable.
- Q4 CCV/LCS was below the acceptance criteria, however the sample still exceeds the regulatory limit.
- R Marginal Exceedence.
- U Reported result is an estimate. The analyte was detected above the calibration range.
- X Problems with initial analysis, reported data are from reinjection of prepared sample.
- <LOQ - Results below the Limit of Quantitation - Compound not detected

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Customer: Central Oregon Processing
212 NE North St.
Grass Valley Oregon 97029
United States of America (USA)

Product identity: CBN Iso GVL-TST1122

Material: Cannabinoid Isolate

Laboratory ID: 26-004824-0004

Evidence of Cooling: No

Temp: 18.4 °C

Sample Results

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2603098	04/24/26 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2603098	04/24/26 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2603099	04/25/26 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2603099	04/25/26 AOAC 2014.05 (RAPID)		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 26-004824/D002.R000
Report Date: 04/28/2026
ORELAP#: OR100028
Received: 04/21/26 09:34

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

% wt = $\mu\text{g/g}$ divided by 10,000

cfu/g = Colony forming units per gram

Approved Signatory

Derrick Tanner
General Manager





12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 26-004824/D002.R000
Report Date: 04/28/2026
ORELAP#: OR100028
Received: 04/21/26 09:34



**Hemp & Cannabis
Chain of Custody**

**Central-Oregon-
Processing-1776711122**

				Testing	
				M075 - E. coli/Coliform Count (EC) Petrifilm	M283 - RAPID Yeast and Mold Count (RYM) Petrifilm
Company Details Company: <u>Central Oregon Processing</u> Contact: <u>Bharath Pogula</u> Street Address: <u>374 NE Peters Rd</u> City, State, Zip: <u>Prineville, OR 97754</u> Email: <u>bharath@gvbbiopharma.com</u> Contact Phone: <u>9737225455</u> Billing Information Billing Email: <u>bharath@gvbbiopharma.com</u>					
Project Details Turnaround Time: <u>5 Business Days Reg. For Micro Testing Standard</u> Compliance : <u>Research & Development Testing Only</u> Relinquishment Sampling, Courier & Shipping Options: <u>By Shipping Service (USPS, UPS, FedEx)</u> Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves					
#	Sample Name	Material	Amount Provided		
1	CBD Iso GVL-TST1118	Cannabinoid Isolate	10 g	✓	✓
2	CBD Iso GVL-TST1119	Cannabinoid Isolate	10 g	✓	✓
3	CBD Iso GVL-TST1120	Cannabinoid Isolate	10 g	✓	✓
4	CBN Iso GVL-TST1122	Cannabinoid Isolate	10 g	✓	✓

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Bharath Pogula</i>	<i>04/20/2026</i>	<i>11:52</i>	<i>sem</i>	<i>04/21/2026</i>	<i>09:34</i>	<i>18.40</i>	<i>CL-1243</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info.cti@tentamus.com

Page 1 of 1
www.columbialaboratories.com